

# HERRAMIENTAS



- POTENCIA Y RENDIMIENTO
- VERSATILIDAD
- PORTABILIDAD Y COMODIDAD



928 0740  
(477) 928 0741  
761 2074

[www.incomx.com](http://www.incomx.com)

Blvd. Juan José Torres Landa  
#4555-A local 2 San Isidro  
de Jerez, León, Gto, 37530

**GOA**  **CONCRETE<sup>®</sup>  
TECHNOLOGY**  
adding solutions

[ventas@incomx.com.mx](mailto:ventas@incomx.com.mx)  
[areacomercial@incomx.com.mx](mailto:areacomercial@incomx.com.mx)



**TOOLMEX**



**Double Function**

Electric Rotary Hammer



Goods No:BS660501
Goods Model:Z1C-BS01-22
Rated Voltage:220-240V~
Rated Frequency :50/60Hz
Rated Power:600W
Max Non-load Speed:1000r/min
Drilling Hole Diameter:22mm
QTY/CTN:1/4pcs



**Three Function**

Electric Rotary Hammer



Goods No:BS660510
Goods Model:Z1C-BS09-26
Rated Voltage:220-240V~
Rated Frequency :50/60Hz
Rated Power:900W
Max Non-load Speed:1150r/min
Drilling Hole Diameter:26mm
QTY/CTN:1/5pcs



**Electric Aluminum Cutter**

Goods No:BS660802
Goods Model:J1X-BS02-255
Rated Voltage:220-240V~
Rated Frequency :50/60Hz
Rated Power:1800W
Max Non-load Speed:6000r/min
Saw Blade Diameter:255mm
QTY/CTN:1pc



**Electric Aluminum Cutter**

Goods No:BS660805
Goods Model:J1X-BS02-305
Rated Voltage:220-240V~
Rated Frequency :50/60Hz
Rated Power:2000W
Max Non-load Speed:4500r/min
Saw Blade Diameter:305mm
QTY/CTN:1pc



**TOOLMEX**

- Suit for construction, decoration, grooving, etc.



Wall Cutting Machine



Goods No:BS661902
Goods Model:Z1R-BS02-133
Rated Voltage/Power:220-240V~/3000W
Rated Frequency :50/60Hz
Max Non-load Speed:6700r/min
Cutting wheel Size:dia 133mm
Cutting capacity:40x30mm
QTY/CTN:1/2pcs



Sander Polisher



Goods No:BS661701
Goods Model:S1P-BS01-180
Rated Voltage:220-240V~
Rated Frequency :50/60Hz
Rated Power:1200W
Saw Chain Speed:600-3300r/min
Grind Size:180mm
QTY/CTN:1/6pcs



Wall Sander



Goods No:BS662502
Rated Voltage:220-240V~
Rated Frequency :50/60Hz
Rated Power:800W
Max Non-load Speed:1200-2300r/min
Sanding Paper Size:190mm
Grinding Pad Size:180mm
QTY/CTN:1/4pcs

**Industrial grade**  
Import IGBT module



Air Plasma Cutting Machine



Goods No.:BS662942
Goods Model:LGK-100
Rated Voltage:380V~ ± 10%
Rated Frequency :50/60Hz
No-load Voltage:290V Duty Cycle:60%
Cutting Pressure:0.4Mpa
Max Cutting Thickness:50mm
Qty/CTN:1pc

**Large displacement**  
Air go up faster



Air Compressor

Goods No:BS663021
Rated Power:1380W × 4, 220-240V~, 50/60Hz
Speed:2800r/min
Air flow:840L/min
Tank:120L                      Air Filling Time:60S
Weight:82kg
Max pressure:0.8MPa
QTY/CTN:1pc



**TOOLMEX**

**Large displacement**  
Air go up faster



Air Compressor

Goods No:BS663020
Rated Power:1380W × 3, 220-240V~, 50/60Hz
Speed:2800r/min
Air flow:630L/min
Tank:90L                      Air Filling Time:63S
Weight:55kg
Max pressure:0.8MPa
QTY/CTN:1pc



Inverter MIG Welding Machine



Goods No.:BS662956
Goods Model:ARC-400S
Rated Voltage:220/380V±10%
Rated Frequency :50/60Hz
No-load Voltage:84V/73V
Rated Output Voltage:30-400A
Welding Rod:4.5-6.0 Duty Cycle:60%
Qty/CTN:1pc





TOOLMEX

- Suit for power, petroleum, chemical, shipbuilding and other industry fields.

**Industrial grade**  
Import IGBT module

Inverter DC gas shielded welding machine

Goods No.:BS662936
Goods Model:NB-500
Rated Voltage:380V~±10%
Rated Frequency :50/60Hz
No-load Voltage:72V
Duty Cycle:60% Output Voltage:39V
Welding Rod:1.2-1.6
Qty/CTN:1pc



- Suit for power, petroleum, chemical, shipbuilding and other industry fields.

**NEW products**  
**Industrial grade**  
Import IGBT module

Arc Welding Machine

Goods No:BS662909
Goods Model:ARC500T
Rated Voltage:380V~±10%
Non-load Voltage:68V
Output Voltage :34V
Usable Electrodes:dia 2.5-5.0
Duty Cycle:60%
QTY/CTN:1pc



BS663662

BS9500E-3D

195FE

7.0(8.75)

7.5(9.375)

Electric Start

0.531

275

1.7

12.5

220/380

50

1.0(0.8)

F

3000

12

8.3A

760\*520\*640

132

Single cylinder, four stroke, air-cooled, vertical



BS663663

BS10000E-3D

1100FE

8.0(10)

8.5(10.8)

Electric Start

0.615

280

1.9

12.5

220/380

50

1.0(0.8)

F

3000

12

8.3A

790\*540\*660

145

Single cylinder, four stroke, air-cooled, vertical



(477)

928 0740

928 0741

761 2074

- Suitable for concrete working



Aluminum structure design

External carbon brush design

Variable speed trigger

Self-locking switch

Soft-grip handle

Dust prove filter

powerful motor



Portable Concrete Vibrating



Goods No:BS663301  
 Goods Model:Z1D-BS01-35  
 Rated Frequency :50/60Hz  
 Max power:950W  
 Max Voltage:220-240V~  
 Max Non-load Speed:4450r/min  
 QTY/CTN:1/10pcs



Gasoline Engine Welder

Goods No:BS663621  
 Rated Voltage/Power:230V/5.0KW  
 Welder parameters:  
 Max Current:50-230A  
 Load Factor:60%  
 Welder Rod Diameter:2.0-5.0mm  
 QTY/CTN:1pc



Bench Grinder

Goods No.:BS662703  
 Goods Model:BS-MD-T200  
 Rated Voltage:220V-  
 Rated Frequency :50Hz  
 Rated Power:550W  
 No-load Speed:2840r/min  
 Sanding Size: 200x32x20mm  
 Qty/CTN:1pc



Gasoline Generating Set **Manual Start**

Goods No:BS663601  
 Goods Model:BS-3600  
 Rated power:2.8KW  
 Rated Frequency :50/60Hz,230V  
 Max Current:12A Max Power:3.0kw  
 Tank Capacity:15L  
 Continuous operating time:10h(1.5L/h)  
 QTY/CTN:1pc

- Suitable for industrial, chemical industry, aquaculture, automobile and other industries clean operation

Durable grade with side load all copper wire four grade aluminum shell national standard motor

Solid heat treated stainless steel porcelain spray plunger

All copper finishing pump head

Four angle nozzle for quick and easy conversion

Solid rubber wheel, rear-mounted easy to push

Four functions of high-performance intelligent switch:

1. leakage protection
2. overload protection
3. shut down
4. delay shutdown

High Pressure Car Washer

Goods No:BS663709  
 Rated Voltage:220V ~  
 Rated Frequency :50Hz  
 Rated Power:2.2KW  
 Work Pressure:10Mpa

High Pressure Car Washer

Goods No:BS663710  
 Rated Voltage:380V ~  
 Rated Frequency :50Hz  
 Rated Power:3.0KW  
 Work Pressure:12Mpa



(477)

928 0740  
 928 0741  
 761 2074

## BLACKWARRIOR COOL SERIES

High quality brushless motor with high performance & high torque  
 Large-capacity battery, new technology, durable  
 Metal chuck, flexible loading and unloading  
 Compact and light body, easy to hold & operate



BRUSHLESS  
MOTOR

NEW  
products



TOOLMEX

Li-ion Brushless Cordless Drill  

Goods No.:BS665104

Battery:16V/2.0Ah

Torque design :23+1

Max Clamp Diameter:10mm

No-load Speed:0-500/0-1800r/min

Max Torque:50N.m

Max Screw Diameter:8mm

Qty/CTN:1/12pcs



Battery X2  
Charger X1

## BLACKWARRIOR COOL SERIES

High quality brushless motor with high performance & high torque  
 Large-capacity battery, new technology, durable  
 Metal chuck, flexible loading and unloading  
 Compact and light body, easy to hold & operate



BRUSHLESS  
MOTOR

NEW  
products

Li-ion Brushless Cordless Drill  

Goods No:BS665105

Battery:20V/2.0Ah

Torque design :23+1

Max Clamp Diameter:10mm

No-load Speed:0-500/0-1800r/min

Max Torque:60N.m

Max Screw Diameter:8mm

Qty/CTN:1/10pcs



Battery X2  
Charger X1



## BLACKWARRIOR COOL SERIES

High quality brushless motor with high performance and high torque  
 New technology large-capacity battery, support one key to check the power  
 High-quality tungsten steel shaft, high hardness and wear resistance  
 Intelligent torque adjustment, easy to use



BRUSHLESS  
MOTOR

NEW  
products

Li-ion Brushless Impact Wrench  

Goods No:BS665206

Battery:20V/4.0Ah

Torque design :23+1

No-load Speed:0-2000/0-2600r/min

Max Torque:350N.m

Chuck:1/2"/12.7mm

Qty/CTN:1/6pcs



## BLACKWARRIOR COOL SERIES

High quality brushless motor with high performance and high torque  
 New technology large-capacity battery  
 support one key to check the power  
 Small body, comfortable handle feeling  
 Wear-resistant and drop-resistant casing, safe and reliable



### Li-ion Brushless Angle Grinder

Goods No:BS665303  
 Battery:20V/4.0Ah  
 Grind Disc Hole Size:16mm  
 Spindle Thread:M10  
 No-load Speed:3500/6000/8000r/min  
 Grind Disc Diameter:100mm  
 Qty/CTN:1/6pcs

BRUSHLESS  
MOTOR



Battery X2  
Charger X1



Optional  
6.0Ah battery

## BLACKWARRIOR COOL SERIES

High-quality brushless motor, durable  
 High-strength aluminum chassis  
 Wear-resistant and drop-resistant case, comfortable to hold  
 Professional cutting and grooving  
 Maximum overload capacity: 3800W



TOOLMEX

BRUSHLESS  
MOTOR



### Electric Cutting Machine

Goods No:BS660223  
 Goods Model:Z1E-BS01-198  
 Rated Voltage:220V~  
 Rated Frequency :50Hz  
 Rated Power:10A  
 No-load Speed:7500r/min  
 Saw Blade Diameter:198mm  
 Spindle size:M10 Qty/CTN:1/5pcs

## BLACKWARRIOR COOL SERIES

High quality brushless motor with high performance and high torque  
 New technology large-capacity battery, support one key to check the power  
 High-quality tungsten steel shaft, high hardness and wear resistance  
 Intelligent torque adjustment, easy to use



BRUSHLESS  
MOTOR



### Li-ion Brushless Impact Wrench

Goods No:BS665206  
 Battery:20V/4.0Ah  
 Torque design :23+1  
 No-load Speed:0-2000/0-2600r/min  
 Max Torque:350N.m  
 Chuck:1/2"/12.7mm  
 Qty/CTN:1/6pcs







### Heat Gun

Goods No:BS471600  
 Power:1600W  
 Rated Voltage:220V 50Hz  
 Temperature:100~590°C  
 Wind:250-500L/min  
 Function:Second wind speed  
 Qty/CTN:1/12PCS



### Heat Gun

Goods No:BS462000  
 Power:2000W  
 Rated Voltage:220V 50Hz  
 Temperature:100~590°C  
 Wind:250-500L/min  
 Function:Second wind speed  
 Qty/CTN:1/12PCS

## Professional Heat Gun

Rapid heating and efficient heat accumulation

Professionally used in electronics, packaging, printing and other industries to remove varnishes, defrost delivery pipes, shrink PVC films and soften solders, etc.  
 Air duct spiral air outlet design.



# TOOLMEX

## BLACKWARRIOR COOL SERIES


Suitable for ventilation in shopping malls, warehouses, factories and other commercial/industrial places  
 All-copper motor, strong power, high efficiency and stability  
 Thick barrel, high-quality spray paint, wear-resistant and drop-resistant  
 Exquisite mesh cover, not easy to deform, efficient protection  
 Thickened fan, larger arc, stronger air volume



### Axial Flow Fan

Goods No	Goods Model	Rated Voltage	Rated Power	Speed	Wind	Noise	Total Pressure	Qty/CTN
BS662628	SF5-4R	220V~	750W	1450r/min	10000m <sup>3</sup> /min	74db	200Pa	1PC
BS662629	SF6-4	380V~	2200W	1450r/min	18700m <sup>3</sup> /min	80db	300Pa	1PC

## BLACKWARRIOR COOL SERIES



### Air Compressor

Goods No	Rated Voltage/Frequency	Speed	Rated Power	Tank	Air Flow	Max Pressure	Net Weight	Qty/CTN
----------	-------------------------	-------	-------------	------	----------	--------------	------------	---------

## BLACKWARRIOR COOL SERIES

LD laser tube, 515nm green light  
 Dimming function, strobe function, slash function  
 ± 3° , over-range automatic alarm, 3S automatic leveling  
 4500mAh battery pack, 5-wire full power can be used for 3 hours  
 Non-slip feel paint, comfortable and durable



TOOLMEX



### Laser level

Goods No	Goods Model	Battery	Precision	Qty/CTN
BS663212	LD-2 line	4500mAh	± 1mm/5m	8PCS
BS663213	LD-3 line	4500mAh	± 1mm/5m	8PCS
BS663215	LD-5 line	4500mAh	± 1mm/5m	8PCS

## BLACKWARRIOR COOL SERIES



### Laser level

Goods No	Goods Model	Battery	Precision	Qty/CTN
BS663226	LD-16line	4500mAh	± 1mm/7m	8PCS





**TOOLMEX**



Electric Rivet Gun Adapter

Goods No:BS664002
170mm,Dia2.4/3.2/4.0/4.8
QTY/CTN:6/36pcs



Electric Wrench

Goods No:BS662305
Goods Model:P1B-BS01-24C
Rated Voltage:220-240V~ 50/60Hz
Spindle size: 3/4"
Max Non-load Speed:1900r/min
Rated Power:600W
Max Torque:500N.m Max Socket Size:M24
Appliance range: M18-M24
QTY/CTN:1/3pcs

- Suit for engineering decoration , measure projects , interior architecture and other fields.



Laser Level

Goods No	Goods Model	QTY/CTN
BS663101	50M	1/20PCS
BS663102	70M	1/20PCS
BS663105	120M	1/20PCS



- Suitable for lumber cutting, forestry harvesting, home sawing and other cutting operations under no electricity environment

Thickened brake plate: fast braking to prevent accidental injury

Split suspension: Efficient shock absorption, long grip not numb hand

Linkage carburetor: easy to start, energy saving and fuel saving

New ABS engineering material housing is resistant to high temperature and aging

Imported chain: good wear resistance, long service life



Petrol Chain Saw

Goods No:BS663640
Engine Displacement: 54.5cc
Engine Model: 1E45.2F
Rated Output Power: 2.4kw/8500rpm
Guide Plate Size:20"
Chain Pitch: 0.325 Ignition Mode:CDI
Oil Tank Capacity: 260ml
Fuel Tank Capacity:450ml Weight:9KG

- Suitable for landscaping, garden maintenance, forest fire prevention and other harvesting operations under no electricity environment

Integrated control switch: easy to operate

Gear box: high carbon steel fine grinding process, durable

Heat dissipation port: porous ventilation design, effective heat dissipation, power stability

Thickened aluminum rod: Corrosion resistant and durable

Thickened connecting disc: solid connection, strong output



Two-stroke Gasoline Brush Breaker

Goods No:BS663650
Engine Displacement: 42.7cc
Engine Model: 1E40F-5
Rated Output Power: 1.35kw/7500rpm
Ignition Mode:CDI
Fuel Tank Capacity: 750ml
Weight:8.5KG

- Suitable for lumber cutting, forestry harvesting, home sawing and other cutting operations under no electricity environment

Integrated control switch: easy to operate

Gear box: high carbon steel fine grinding process, durable

Heat dissipation port: porous ventilation design, effective heat dissipation, power stability

Thickened aluminum rod: Corrosion resistant and durable

Thickened connecting disc: solid connection, strong output



Four-stroke Gasoline Brush Breaker

Goods No:BS663655
Engine Displacement:31cc
Engine Model: 139F
Rated Output Power: 0.75kw/6500rpm
Ignition Mode:CDI
Fuel Tank Capacity: 900ml



TOOLMEX



BS522222A

- 17pcs 12.5mm Short Dr. Socket :  
10,11,12,13,14,15,16,17,18,19,20,21,22,24,27,  
30,32mm
- 1pc Universal Joint:1/2 Head- 3/8 hole
- 1pc 12.5mm L Type Wrench:10"/250mm
- 4pcs Impact Dr.Socket:17,19,21,23mm
- 2pcs 12.5mm Spark Plug Socket:16,21mm
- 1pc 12.5mm Extension Bar:3"/75mm
- 1pc 12.5mm F Handle:10"/250mm
- 2pcs 12.5mm Extension Bar:5",10"
- 1pc 12.5mm Universal Joint: 1/2"
- 3pcs Ratchet Wrench:1/2",1/4",3/8"
- 2pcs 6.3mm Extension Bar:4",2"
- 1pc 6.3mm Universal Joint:1/4"
- 1pc Dr. Bit Adapter:150mm
- 13pcs 6.3mm Short Dr. Socket :  
4,4.5,5,5.5,6,7,8,9,10,11,12,13,14mm
- 4pcs 6.3mm Bit Socket:Slot 5.5,Slot 6.5, PH2,PH3
- 10pcs 6.3mm Bit Socket:  
T10,T20,T25,T27,T30,T40,Hexagon 4,5,6,8mm
- 6pcs Torx Dr.Socket:E4,E5,E6,E7,E8,E10
- 1pc 10mm Sliding T-Bar:3/8"
- 1pc 10mm Universal Joint:3/8"
- 2pcs 10mm Extension Bar:3"/75mm,6"150mm
- 13pcs 10mm Short Dr. Socket :  
10,11,12,13,14,15,16,17,18,19,20,21,22mm
- 8pcs 10mm Torx Dr.Socket:  
E8,E10,E11,E12,E14,E16,E18,E20
- 1pc 10mm Spark Plug Socket:14mm
- 1pc 10mm Extension Bar:10"/250mm



BS522222D

- 1pc Soft Pick Up Tool
- 5pcs Punch Set
- 1pc Voltage Tester Pen
- 1pc Dust Gun
- 1pc Hose Clip Plier 8"/200mm
- 1pc Oil Filter Wrench:63-102mm
- 1pc Special Socket For Removal
- 1pc Flat Chisel:10x8x130mm
- 1pc Tweezer:120x9x2mm
- 10pcs Filer Gauge:100x14mm
- 1pc Special Socket:M16
- 9pcs Hex Key Set
- 9pcs Torx Hex Key Set
- 5pcs Plastic Steel Pry Bar
- 6pcs Diamond File Set:dia 4x160mm
- 5pcs Screw Extractor
- 1pc Special Socket :H17
- 1pc T52 Cylinder Use Socket:L100mm
- 1pc Snip Scissors:12"



BS522222B

- 17pcs Combination Wrench:  
8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,  
24,27mm
- 11pcs Open End Wrench:  
8x10,10x12,12x14,13x15,14x17,17x19,18x21,  
19x22,22x24,24x27,30x32mm
- 4pcs Vitta Wrench:8x10,9x11,13x14,16x17mm
- 1pc Adjustable Wrench:10"/250mm



BS522222C

- 4pcs Snap Ring Plier:7"/175mm Bend ,Straight
- 1pc Slip Joint Plier:8"/200mm
- 1pc Round Curved Jaw Lock-Grip Plier:  
10"/250mm
- 1pc Water Pump Plier:10"/250mm
- 1pc Combination Plier:8"/200mm
- 1pc Long Nose Plier:6"/150mm
- 1pc Diagonal Cutting Plier:6"/150mm
- 8pcs Screwdriver:  
±3x75,±6x38,±6x100,±6x150mm
- 2pcs Screwdriver:±8x200mm



BS522222E

- 1pc Machinist's Hammer:300g
- 1pc Welding Clamp Plier :9"/225mm
- 1pc D Clamp Plier:11"/275mm
- 1pc Long Nose Clamp Plier :9"/225mm




For tool trolley: BS522927

Using high quality cold yard steel. Configure the central control security lock, and each drawer has a self-locking function to prevent tilt. Goods storage ,improve productivity and keep the working site clean.  
Including tools ,tool cabinet




(477)

928 0740  
928 0741  
761 2074



BS522368A

16pcs Combination Wrench:  
8,9,10,11,12,13,14,15,16,17,  
18,19,20,21,22,24mm




BS522368D

12pcs Screwdriver:  
±3x75,±3x150,±6x38,±5x100,  
±6x150,±8x200mm



BS522368B

11pcs Open End Wrench:  
8x10,10x12,12x14,13x15,14x17,  
17x19,18x21,19x22,22x24,24x27,  
30x32mm  
4pcs Vitta Wrench:  
8x10,9x11,13x14,16x17mm  
1pc Adjustable Wrench:10"/250mm



BS522368G

2pcs 6.3mm Bit Socket :PH1,PH2  
3pcs 6.3mm Bit Socket :-4,-5.5,-6.5mm  
2pcs 6.3mm Bit Socket :\*1,\*2  
4pcs 6.3mm Bit Socket Hexagon:  
3,4,5,6mm  
6pcs Torx Bit Socket:  
T10,T15,T20,T25,T30,T40  
3pcs 6.3mm Extension Bar:  
50,100,150mm  
6pcs 6.3mm Torx Dr.Socket:  
E4,E5,E6,E7,E8,E10  
1pc 6.3mm Flexible Extension Bar:  
150mm  
8pcs 10mm Torx Dr.Socket:  
E8,E10,E11,E12,E14,E16,E18,E20  
1pc 6.3mm L Type Wrench:150mm  
13pcs 6.3mm Short Dr. Socket :  
4,4.5,5,5.5,6,7,8,9,10,11,12,13,14mm  
1pc 6.3mm Universal Joint 150mm  
10pcs 6.3mm Long Dr. Socket :  
4,5,6,7,8,9,10,11,12,13mm  
1pc 10mm L Type Wrench  
12pcs 10mm Dr.Socket:  
8,9,10,11,12,13,14,15,16,17,18,19mm  
1pc 10mm Universal Joint  
2pcs Universal Joint:  
1/4 Head- 3/8 hole, 1/2 Head- 3/8 hole  
1pc 6.3mm Ratchet Wrench:1/4"  
1pc 6.3mm Dr. Bit Adapter:1/4"




BS522368J

1pc Dust Gun:100mm  
14pcs Filer Gauge:0.05-1.0mm  
1pc 3 Way Oil Filter Wrench :  
63-102mm  
1pc Voltage Tester Pen  
1pc Tire Removal Tool  
7pcs Brass Testing Set  
1pc Pick Up Tool:1kg  
1pc Tire Pressure Gauge  
1pc Up Par Tool  
1pc Torque Wrench :0-300N.m




BS522368E

19pcs 12.5mm Short Dr. Socket :  
8,9,10,11,12,13,14,15,16,17,18,19,  
20,21,22,24,27,30,32mm  
4pcs 12.5mm Impact Dr.Socket:  
17,19,21,23mm  
1pc Ratchet Wrench:1/2"  
1pc 12.5mm Universal Joint:1/2"  
2pcs 12.5mm Spark Plug Socket:  
16,21mm  
3pcs 12.5mm Extension Bar:  
3",5",10"  
1pc 12.5mm 3 Way Joint:1/2"  
1pc 12.5mm F Handle:10"/250mm  
1pc Special Socket:M16  
1pc Special Socket For Removal  
1pc Special Socket:H17  
1pc T52 Cylinder Use Socket:  
L100mm



BS522368F


16pcs 12.5mm Short Dr. Socket :  
8,9,10,11,12,13,14,15,16,17,18,19,  
20,21,22,24mm  
14pcs 12.5mm Long Dr. Socket :  
10,11,12,13,14,15,16,17,18,19,20,  
21,22,24mm  
9pcs 12.5mm Torx Dr.Socket:  
E10,E11,E12,E14,E16,E18,E20,  
E22,E24  
1pc Universal Joint:3/8 Head-1/2 hole  
1pc 12.5mm Sliding T-Bar:250mm  
1pc 12.5mm L Type Wrench:250mm



BS522368H

12pcs 10mm Dr.Socket:  
8,9,10,11,12,13,14,15,16,17,  
18,19mm  
3pcs 10mm Bit Socket:  
PH1,PH2,PH3  
3pcs 10mm Bit Socket:  
Pz1,Pz2,Pz3  
3pcs 10mm Bit Socket:  
-5.5,-6.5,-8mm  
3pcs 10mm Bit Socket:  
T20,T30,T40  
4pcs 10mm Bit Socket:  
T45,T50,T55,T60  
6pcs 10mm Bit Socket Torx :  
3,4,5,6,8,10mm  
3pcs 10mm Extension Bar:  
75,150,250mm  
3pcs 10mm Spark Plug Socket:  
14,16,21mm  
1pc Universal Joint:10mm  
1pc Ratchet Wrench 10mm

4pcs Snap Ring Plier:7"/175mm  
Bend ,Straight  
1pc Slip Joint Plier:8"/200mm  
1pc Combination Plier:8"/200mm  
1pc Long Nose Plier:6"/150mm  
1pc Round Curved Jaw Lock-Grip  
Plier:10"/250mm



BS522368C



For tool trolley: BS522927

Using high quality cold yard steel. Configure the central control security lock, and each drawer has a self-locking function to prevent tilt. Goods storage ,improve productivity and keep the working site clean. Including tools ,tool cabinet



BS522368I

1pc Utility Knife  
10pcs Utility Knife Blade  
5pcs Punch Set  
1pc PVC Tape  
1pc Torch:13mm  
1pc Hammer :1.5P  
5pcs File Set:  
Flat,Round,Half Round,Square,  
Triangle  
9pcs Ball Head Hex Key Set  
6pcs Screw Extractor  
1pc Measure Tape:3mx16mm  
9pcs Torx Hex Key Set



### 8 TRAY TOOL CHEST

**TOOLMEX**



Goods No.	Specification	QTY/CTN
BS522928	706x461x1025mm	1 PC

Single drawer max bearing weight 45kg  
 Tool cabinet max bearing weight 450kg

### 7TRAY TOOL CHEST



Goods No.	Tool cabinet size	QTY/CTN
BS522907	680x458x860mm	1 PC

Single drawer max bearing weight 35kg  
 Tool cabinet max bearing weight 400kg

### 拉杆式工具箱 TOOL BOX



Goods No.	Specification	QTY/CTN	L (mm)	W (mm)	H (mm)	H1 (mm)
BS522288	520x320x720mm	1PC	485	305	965	720

Three layer toolbox, overall 0.8mm cold-rolled steel plate and engineering plastic material. High strength telescopic pull rod, wear-resistant casters.

### 3TRAY TOOL BOX



Goods No.	Specification	QTY/CTN	L (mm)	W (mm)	H (mm)
BS522413	534x218x288mm	1/4PCS	534	218	288

Made of 0.6mm cold-rolled steel plate, bear weight 30 KG.

### 79PCS CORDLESS DRILL SET



Goods No.	Specification	QTY/CTN	L (mm)	W (mm)	H (mm)
BS511079	79PCS	1/3PCS	460	350	112

#### Collocation list

- 1pc-Battery Drill 12V
- 1pc-Charger
- 2pcs-2 Way Screwdriver 4" 6.3x100mm
- 2pcs-Li-battery
- 1pc-Extension Bar
- 1pc-Hole Saw 6mm
- 1pc-Wire Stripper
- 9pcs-1/4" Dr Socket 5,6,7,8,9,10,11,12,13mm
- 2pcs-6.3mm Screwdriver Bit 65mm,100mm
- 1pc-Long Nose Plier 6"
- 1pc-Voltage Tester
- 10pcs-6.3mm Screwdriver Bit 25mm
- 10pcs-6.3mm Screwdriver Bit 50mm
- 1pc-Mini Hacksaw 6"/150mm
- 2pcs-Precision Screwdriver Slot 2.0,PH0
- 1pc-Tweezer 125mm
- 1pc-Plastic Case
- 10pcs-Utility Cutter Blade
- 1pc-Adjustable Wrench 8"
- 9pcs-Hex Key Set 1.5-10mm
- 1pc-Combination Plier 6"
- 4pcs-Drill Bit 2,3,5,6mm
- 1pc-PVC Electric Tape
- 1pc-Measure Tape 3m
- 1pc-Accessories Box
- 1pc-Claw Hammer 0.25kg
- 1pc-Utility Knife
- 1pc-Ratchet Handle
- 1pc-Digital Multimeter

## 119PCS ELECTRIC DRILL COMPREHENSIVE SET



Goods No.	Specification	QTY/CTN	L (mm)	W (mm)	H (mm)
BS511119	119PCS	3PCS	510	370	105

- Collocation list
- 1pc-13mm Electric Impact Drill
  - 1pc-Auxiliary Handle
  - 3pcs-Solid Center Bits
  - 3pcs-Drill Bits
  - 1pc-Utility Cutter
  - 1pc-0.25kg Claw Hammer
  - 1pc-8" Adjustable Wrench
  - 4pcs-Combination Wrench 10,12,14,17mm
  - 1pc-7" Stainless Steel Scissor
  - 1pc-6" Combination Plier
  - 2pcs—Screwdriver:±6x125mm
  - 1pc-Pump Plier 8"/200mm
  - 1pc-Vinyl Electrical Tape Yellow
  - 1pc-Digital Voltage Tester
  - 41pcs-Accessories Box Set
  - 10pcs-6.3mm Socket Bits 50mm
  - 1pc-Chuck Key
  - 1pc- Depth Gauge
  - 3pcs-Twist Drill Bits
  - 1pc-3m Measure Tape
  - 10pcs-Utility Cutter Blade
  - 9pcs-Hex Key Set
  - 6pcs-Horolge Set
  - 1pc-Spinner Handle
  - 1pc-6" Long Nose Plier
  - 1pc-Wire Stripper
  - 1pc-Connecting Rod
  - 1pc-Plastic Box
  - 9pcs-5-13mm Socket
  - 1pc-Aluminium Level

## 150PCS 1/4" +3/8"+1/2" DR. SOCKET SET



Goods No.	Specification	QTY/CTN	L (mm)	W (mm)	H (mm)
BS511150	150PCS	2PCS	468	358	90

- Collocation list
- 12pcs-Combination Wrench: 8,9,10,11,12,13,14,15,16,17,18,19mm
  - 10pcs-1/4" Dr.Short Socket: 5/32",3/16",7/32",1/4",9/32",5/16",11/32",3/8",7/16",1/2"
  - 9pcs-3/8" Dr.Short Socket: 3/8",7/16",1/2",9/16",5/8",11/16",3/4",13/16",7/8"
  - 4pcs-1/2" Dr.Short Socket: 15/16",1",1-1/16",1-1/4"
  - 22pcs-3/8" Dr.Bit Socket: Torx Bit Socket (T20,T30,T40,T45,T50,T55,T60); Pozi Bit Socket (PZ1,PZ2,PZ3); Phillips Bit Socket (PH1,PH2,PH3); Hex Bit Socket (3,4,5,6,8,10mm); Slot Bit Socket (5.5,6.5,8mm)
  - 8pcs-3/8" Dr.Torx Socket: E8,E10,E11,E12,E14,E16,E18,E20
  - 4pcs-1/2" Dr. Impact Socket: 17,19,21,23mm
  - 1pc-1/4" Dr. Extension Bar: 4"/100mm
  - 10pcs-1/4" Dr. Short Socket: 4,5,6,7,8,9,10,11,12,13mm
  - 7pcs-Torx Screwdriver Bit
  - 6pcs-1/4" Dr. Long Socket: 4,5,6,7,8,9mm
  - 3pcs-Ratchet Wrench: 1/2",3/8",1/4"
  - 11pcs-3/8" Dr. Short Socket: 9,10,11,12,13,14,15,16,17,18,19mm
  - 6pcs-3/8" Dr. Long Socket: 10,11,12,13,14,15mm
  - 1pc-1/4" Sliding T-Bar: 100mm
  - 7pcs-1/2" Dr. Short Socket: 20,21,22,24,27,30,32mm
  - 1pc-1/4"Socket Sleeve
  - 6pcs-1/2" Dr. Long Socket: 10,12,13,14,17,19mm
  - 1pc-1/4" Dr. Bit Adapter: 150mm
  - 2pcs-3/8" Spark Plug Socket: 16mm,21mm
  - 2pcs-Extension Bar: 3"/75mm,6"/150mm
  - 3pcs-Ratchet Wrench: 8"10mm,12"13mm,17"19mm
  - 3pcs-Universal Joint: 1/4",3/8",1/2"
  - 2pcs-1/2" Extension Bar: 5"/125mm,10"/250mm
  - 9pcs-Hex Key Set:9pcs

## 118PCS AUTO MAINTAINING SET



Goods No.	Specification	QTY/CTN	L (mm)	W (mm)	H (mm)
BS511118	118PCS	3PCS	455	345	105

- Collocation list
- 9pcs-1/4"Dr. Socket:5,6,7,8,9,10,11,12,13mm
  - 11pcs-1/2" Dr. Socket:10,11,12,13,14,15,16,17,19,22,24mm
  - 4pcs-Screwdriver:±6x125mm,±6x38mm
  - 7pcs-Combination Wrench:10,11,12,13,14,17,19mm
  - 5pcs-Ball Point Hex Key:4,5,6,8,10mm
  - 1pc-Flashlight
  - 10pcs-Filler Gauge:0.04-0.30mm
  - 1pc-Screwdriver 200x8mm
  - 1pc-Combination Plier 7"
  - 1pc-Wire Stripper 8"
  - 1pc-Machinist's Hammer:300g
  - 2pcs-1/2" Spark Plug Sockets:16,21mm
  - 1pc-Long Nose Plier 6"
  - 1pc-Universal Joint:1/2"
  - 1pc-Tire Socket:21-23mm
  - 1pc-Tire Wrench
  - 1pc-1/2 Extension Bar 5"
  - 1pc-Adjustable Wrench 8"
  - 1pc-1/2" Sliding Bar: 250mm
  - 1pc-L Type Wrench
  - 1pc-Ratchet Wrench: 1/2"
  - 1pc-Measure Tape:3m
  - 20pcs-Drill Bits 2x10pcs
  - 35pcs-Terminals

## 78PCS MACHINE REPAIR SET



Goods No.	Specification	QTY/CTN	L (mm)	W (mm)	H (mm)
BS511078	78PCS	5PCS	485	360	108

- Collocation list
- 12pcs—1/4" Dr. Socket: 4,4.5,5,5.5,6,7,8,9,10,11,12,13mm
  - 1pc—Voltage Tester
  - 1pc—6" Long Nose Plier
  - 9pcs—1/2" Dr. Socket: 10,12,13,14,15,16,17,19,22mm
  - 6pcs—Combination Wrench: 11,13,14,15,17,19mm
  - 1pc—Insulation Tape
  - 1pc—0.45kg Claw Hammer
  - 2pcs—Ratchet Wrench: 1/4",1/2"
  - 1pc—Utility Knife
  - 1pc—1/2" Extension Bar: 5"/125mm
  - 1pc—Flashlight
  - 1pc—Adjustable Wrench: 8"/200mm
  - 1pc—10" Locking Plier
  - 20pcs—Screwdriver Bits
  - 1pc—3m Measuring Tape
  - 1pc—8" Water Pump Plier
  - 1pcs—1/2" Spark Plug Socket: 16mm
  - 8pcs—Hex Key Set
  - 1pc—Hacksaw Frame
  - 1pc— Bits Holder
  - 2pcs—Screwdrive: ±6x38mm
  - 2pcs—Screwdriver:±6x100mm
  - 1pc—Blow Case
  - 1pc—7" Combination Plier
  - 1pc—1/4" Bits Adaptor

## 26PCS 3/4" SOCKET TOOL SET



Goods No.	Specification	QTY/CTN	L (mm)	W (mm)	H (mm)
BS511626	26PCS	1PC	545	305	107

- Collocation list
- 17pcs—3/4"Dr Socket:21,22,23,24,26,27,28,29,30,31,32,34,36,38,41,46,50mm
  - 3pcs—1" Dr Socket:55,60,65mm
  - 1pc—3/4" Universal Joint
  - 1pc—3/4" Extension Bar
  - 1pc—1" Sliding Head
  - 1pc—3/4" Ratchet Wrench
  - 1pc—3/4"Strength Bar
  - 1pc—3/4" Sliding Bar





**TOOLMEX**

**50PCS MACHINE REPAIR SET**



**Collocation list**

- 9pcs—1/4" Dr. Socket: 5,6,7,8,9,10,11,12,13mm
- 1pc—Insulation Tape
- 1pc—7" Combination Plier
- 6pcs—Combination Wrench: 10,12,13,14,17,19mm
- 1pc—1/4" Ratchet Wrench
- 1pc—6" Long Nose Plier
- 1pc—8" Adjustable Wrench
- 1pc—Tweezer
- 1pc—200g Machinist's Hammer

- 1pc—Utility Knife
- 10pcs—Screwdriver Bits
- 6pcs—Screwdriver: ±6x38mm, ±3x75mm, ±6x100mm
- 1pc—3m Measuring Tape
- 1pc—Voltage Tester
- 8pcs—Hex Key Set
- 1pc—1/4" Dr.Bit Adapter

Goods No.	Specification	QTY/CTN	L (mm)	W (mm)	H (mm)
BS511050	50PCS	5PCS	410	325	100

**48PCS AUTO/MACHINE REPAIR SET**



**Collocation list**

- 16pcs—1/2" Dr. Socket: 8,10,11,12,13,14,15,17,19,20,21,22,24,27,30,32mm
- 7pcs—Combination Wrench: 10,12,13,14,15,17,19mm
- 2pcs—1/2" Extension Bar: 5"/125mm, 10"/250mm
- 1pc—1/2" Ratchet Wrench
- 2pcs—Screwdriver: ± 8x200mm
- 1pc—1/2"-3/8" 3 Way Adapter
- 1pc—Universal Joint
- 2pcs—1/2" Spark Plug Socket: 16mm,21mm

- 1pc—6" Long Nose Plier
- 9pcs—Ball Point Hex Key Set: 1.5, 2, 2.5, 3, 4, 5, 6, 8,10mm
- 1pc—7" Combination Plier
- 4pcs—Screwdriver: ±6x38mm, ± 6x100mm
- 1pc—8" Slip-joint Plier

Goods No.	Specification	QTY/CTN	L (mm)	W (mm)	H (mm)
BS511048	48PCS	4PCS	410	325	102

**53PCS TELE-COMMUNICATION TOOL SET**



**Collocation list**

- 2pcs—Screwdriver: ±5x75mm
- 1pc—6" Long Nose Plier
- 1pc—PVC ElectricTape
- 1pc—Soldering Iron
- 10pcs—Screwdriver Bits
- 4pcs—Screwdriver: ±3x75mm 1.8 2.6
- 1pc—6" Diagonal Cutting Plier
- 1pc— 3M Measuring Tape
- 1pc—8" Adjustable Wrench
- 8pcs—Hex Key Set
- 6pcs—Precision Screwdriver Set

- 1pc—Voltage Tester
- 1pc—Utility Knife
- 1pc—1/4" Spinner Handle
- 1pc—1/4" Dr. Bits Adaptor
- 1pc—Wire Stripper
- 1pc—Desoldering Pump
- 1pc—Digital Multimeter
- 1pc—Soldering Tin
- 9pcs—1/4" Dr.Socket 5,6,7,8,9,10,11,12,13mm

Goods No.	Specification	QTY/CTN	L (mm)	W (mm)	H (mm)
BS511053	53PCS	5PCS	396	310	95

**21PCS HOME OWNER'S TOOL SET**



Goods No.	Specification	QTY/CTN	L (mm)	W (mm)	H (mm)
BS511321	21PCS	10PCS	335	252	77

**Collocation list**

- 4pcs—Screwdriver: ±6x38mm, ±6x100mm
- 1pc—Voltage Tester
- 1pc—PVC Electric Tape
- 1pc—Precision Screwdriver Set
- 1pc—8" Water Pump Plier
- 1pc—Utility Knife
- 1pc—8" Adjustable Wrench
- 1pc—Hacksaw Frame
- 1pc—0.25kg Claw Hammer
- 1pc—Flashlight

**21PCS HOME OWNER'S TOOL SET**



Goods No.	Specification	QTY/CTN	L (mm)	W (mm)	H (mm)
BS511021	21PCS	10PCS	285	240	72

**Collocation list**

- 4pcs—Screwdriver: ±6x38mm, ±5x75mm
- 6pcs—Precision Screwdriver Set
- 1pc—Flashlight
- 1pc—8" Water Pump Plier
- 1pc—PVC Electric Tape
- 1pc—8" Adjustable Wrench
- 1pc—Utility Knife
- 1pc—0.25kg Claw Hammer
- 1pc—Hacksaw Frame
- 1pc—3m Measuring Tape
- 1pc—6" Long Nose Plier

**21PCS 3/4" SOCKET TOOL SET**



Goods No.	Specification	QTY/CTN	L (mm)	W (mm)	H (mm)
BS511621	21PCS	1PC	530	388	101

**Collocation list**

- 16pcs—3/4"Dr Socket: 19,21,22,23,24,26,27,28,30,32,34,36,38,41,46,50mm
- 3pcs—3/4" Extension Bar: 4"/100mm, 8"/200mm, 16"/400mm
- 1pc—3/4" Sliding T-bar: 18"/450mm





**TOOLMEX**

### 17PCS INSULATION TOOL SET



**Collocation list**

- 1pc VDE Combination Plier:8"
- 1pc VDE Long Nose Plier:6"
- 3pcs VDE Slot Screwdriver: 0.8x4.0x100, 1.0x5.5x125,1.2x6.5x150
- 2pcs VDE PH Screwdriver: PH1x4.5x80, PH1x100,PH2x6x100
- 1pc VDE Cable Knife
- 7pcs VDE Open End Wrench:10,11,12,13,14,17,19mm
- 1pc VDE Voltage Tester
- 1pc VDE Electric Tape 20mmx10m

Goods No.	Specification	QTY/CTN
BS600252	17PCS	1PC

### 22PCS INSULATION TOOL SET



**Collocation list**

- 1pc VDE Combination Plier:8"
- 1pc VDE Diagonal Cutting Plier:6"
- 3pcs VDE Slot Screwdriver: 0.8x4.0x100, 1.0x5.5x125,1.2x6.5x150
- 2pcs VDE PH Screwdriver: PH1x4.5x80, PH1x100,PH2x6x100
- 3pc VDE Socket Screwdriver:6,7,8
- 1pc VDE Cable Knife
- 1pc VDE Voltage Tester
- 1pc VDE Electric Tape 20mmx10m
- 1pc VDE Ratchet Wrench 1/2"
- 1pc VDE Extension Bar 125mm
- 7pcs VDE Dr Socket:10,11,12,13,14,17,19mm

Goods No.	Specification	QTY/CTN
BS600251	22PCS	1PC



TOOLMEX


COMBINATION PLIER



Goods No.	Specification	QTY/CTN	L(mm)	H(mm)	W1(mm)	W2(mm)	Max cutting range (mm)
BS199096	6"/160mm	6/60PCS	160	12	22	50	Cooper wire2.6 Iron wire2.2 Steel wire1.6
BS199097	7"/180mm	6/60PCS	180	13	25	53	Cooper wire3.0 Iron wire2.6 Steel wire2.0
BS199098	8"/200mm	6/60PCS	215	14	25	53	Cooper wire3.2 Iron wire3.0 Steel wire2.3

Forged chrome vanadium steel, TPR handle.


LONG NOSE PLIER



Goods No.	Specification	QTY/CTN	L(mm)	H(mm)	W1(mm)	W2(mm)	Max cutting range (mm)
BS199296	6"/160mm	6/60PCS	165	10	18	54	Cooper wire2.2 Iron wire2.0 Steel wire1.6
BS199298	8"/200mm	6/60PCS	200	12	20	54	Cooper wire2.6 Iron wire2.2 Steel wire2.0

Forged chrome vanadium steel, TPR handle.


COMBINATION PLIER



Goods No.	Specification	QTY/CTN	L(mm)	H(mm)	W1(mm)	W2(mm)
BS191906	6"/165mm	6/60PCS	165	11	25	55
BS191907	7"/185mm	6/60PCS	185	12	26	55
BS191908	8"/200mm	6/60PCS	200	12	28	55

Forged chrome vanadium steel, TPR handle.  
6": max cut copper wire  $\Phi$ 2.6mm, iron wire  $\Phi$ 2.2mm, steel wire  $\Phi$ 1.6mm  
7": max cut copper wire  $\Phi$ 3.0mm, iron wire  $\Phi$ 2.6mm, steel wire  $\Phi$ 2.0mm  
8": max cut copper wire  $\Phi$ 3.2mm, iron wire  $\Phi$ 3.0mm, steel wire  $\Phi$ 2.3mm


LONG NOSE PLIER



Goods No.	Specification	QTY/CTN	L(mm)	H(mm)	W1(mm)	W2(mm)
BS191926	6"/165mm	6/60PCS	165	10	19	54
BS191928	8"/210mm	6/60PCS	210	10	19	57

Forged chrome vanadium steel, TPR handle.  
6": max cut copper wire  $\Phi$ 2.2mm, iron wire  $\Phi$ 2.0mm, steel wire  $\Phi$ 1.6mm  
8": max cut copper wire  $\Phi$ 2.6mm, iron wire  $\Phi$ 2.2mm, steel wire  $\Phi$ 2.0mm


DIAGONAL CUTTING PLIER



Goods No.	Specification	QTY/CTN	L(mm)	H(mm)	W1(mm)	W2(mm)
BS191916	6"/165mm	6/60PCS	165	10	21	57
BS191917	7"/185mm	6/60PCS	185	12	24	59

Forged chrome vanadium steel, TPR handle.  
6": max cut copper wire  $\Phi$ 2.2mm, iron wire  $\Phi$ 2.0mm, steel wire  $\Phi$ 1.6mm  
7": max cut copper wire  $\Phi$ 3.0mm, iron wire  $\Phi$ 2.6mm, steel wire  $\Phi$ 2.0mm

COMBINATION PLIER



Goods No.	Specification	QTY/CTN	L(mm)	H(mm)	W1(mm)	W2(mm)
BS199085	8.5"/216mm	6/60PCS	215	12	28	57

Chrome vanadium steel forging.  
Crimping range:0.75-1.5mm<sup>2</sup>, 1.5-2.5mm<sup>2</sup>, 2.5-4mm<sup>2</sup>  
Cutting range:Copper wire  $\Phi$ 3.5mm, Iron wire  $\Phi$ 3.0mm, Steel wire  $\Phi$ 2.3mm.

20PCS 1/2" INSULATION DR. SOCKET SET



Goods No.	Specification	QTY/CTN
BS600248	20PCS	1PC

Collocation list  
11pcs VDE 1/2" Dr Socket :10,11,12,13,14,17,19,22, 24,27,32mm  
5pcs VDE 1/2" Hexagon Socket :4,5,6,8,10mm  
2pcs VDE 1/2" Extension Bar: 125mm,250mm  
1pc VDE 1/2" T-handle Wrench :200mm

94PCS 1/4"+1/2" DR. SOCKET WRENCH SET



Goods No.	Specification	QTY/CTN	L (mm)	W (mm)	H (mm)
BS511094	94PCS	4PCS	390	288	81

Collocation list  
13pcs-1/4" Dr. Socket:  
4,4.5,5,5.5,6,7,8,9,10,11,12,13,14mm  
18pcs-1/2" Dr. Socket:10,11,12,13,14,15,16,17,18, 19,20,21, 22,23,24,27,30,32mm  
8pcs-1/4" Dr. Long Socket:6,7,8,9,10,11,12,13mm  
2pcs-Universal Joint:1/4", 1/2"  
4pcs-1/2" Dr. Long Socket:14,15,17,19,mm  
3pcs-Hex Key Wrench:1.5,2,2.5mm  
2pcs-1/2" Dr. Spark Plug Socket:16mm,21mm  
2pcs-1/2" Dr. Extension Bar:5"/125mm,10"/250mm  
1pc-Universal Adaptor: 1/2"-3/8"  
2pcs-1/4" Dr.Extension Bar: 2"/50mm,4"/100mm  
1pc-1/4" Flexible Spinner Handle  
2pcs-Ratchet Wrench: 1/4", 1/2"  
17pcs-1/4" Dr.Bit Socket : (Slot Bit Socket:4,5,5.5,6.5); (Phillips Bit Socket:PH1,PH2);(Torx Bit Socket:T8, T10,T15,T20,T25,T30);(Hex Bit Socket:3,4,5,6mm); (Pozi Bit Socket:PZ1,PZ2)  
15pcs-3/8" Dr.Bits: (Slot Bit:8,10,12mm);(Phillips Bit: PH3,PH4);(Torx Bit:T40,T45,T50,T55);(Hex Bit: 8,10, 12,14mm); (Pozi Bit: PZ3,PZ4)  
1pc-1/4" Spinner Handle 1pc-1/4" Sliding T-bar

COMBINATION PLIER



Goods No.	Specification	QTY/CTN	Max cutting range (mm)
BS193068	6"/150mm	6/120PCS	Cooper wire2.5 Iron wire1.8
BS193078	7"/180mm	6/72PCS	Cooper wire2.8 Iron wire2.0
BS193088	8"/200mm	6/72PCS	Cooper wire3.0 Iron wire2.4



## REVOLVING LEATHER PUNCH



Goods No.	Specification	QTY/CTN	L (mm)	W (mm)	H (mm)
BS203298	7.5"	6/36PCS	190	70	23

Hole range:

2.0mm, 2.5mm, 3.0mm, 3.5mm, 4.0mm, 4.5mm

Hole thickness: leathers 5.0mm, plastic sheets 0.5mm

Thin iron sheets 0.3mm

## SNAP RING PLIER



Goods No.	Specification	QTY/CTN	Circle range	L (mm)	W1 (mm)	W2 (mm)	D (mm)
BS213264	6"/150mm	6/120PCS	10-22mm	150	27	75	1.3
BS213274	7"/175mm	6/72PCS	19-60mm	185	32	90	1.5
BS213394	9"/225mm	6/48PCS	40-100mm	225	37	98	2.0
BS213134	13"/325mm	6/36PCS	85-140mm	325	45	146	2.5


## PUMP PLIER



Goods No.	Specification	QTY/CTN	L (mm)	H (mm)	W1 (mm)	Clamp rang
BS240608	8"/200mm	6/60PCS	200	9	49	4-31mm
BS246010	10"/250mm	6/60PCS	250	11	58	5-45mm
BS246012	12"/300mm	6/48PCS	315	13	66	5-54mm

High-quality carbon steel, nickel-plated surface, dipped plastic handle.

## CURVED JAW LOCK-GRIP PLIER



Goods No.	Specification	QTY/CTN	L (mm)	H (mm)	W1 (mm)	W2 (mm)	Max open
BS263161	10"	6/48PCS	200	11	63	58	51mm

High quality carbon steel, double color plastic handle.


## CURVED JAW LOCK-GRIP PLIER



Goods No.	Specification	QTY/CTN	L (mm)	H (mm)	W1 (mm)	W2 (mm)	Max open
BS263191	10"	6/36PCS	220	11	65	53	51mm

Chrome vanadium steel forging.

## WIRE ROPE & SPRING WIRE CUTTER



Goods No.	Specification	QTY/CTN	L (mm)	H (mm)	W1 (mm)	W2 (mm)
BS232268	8"/200mm	6/72PCS	200	13	28	56

Cut the wire rope below 5mm.

## HEAVY DUTY PIPE WRENCH



Goods No.	Specification	QTY/CTN	L (mm)	Max open
BS236510	10"/250mm	6/24PCS	250	33mm
BS236514	14"/350mm	6/12PCS	350	48mm

Chromium molybdenum steel.


## BOLT CLIPPERS



Goods No.	Specification	QTY/CTN	L (mm)	H (mm)	W1 (mm)	W2 (mm)
BS230307	8"/200mm	6/72PCS	220	4	38	59

High-quality manganese steel forging, cutting steel wire below 3mm.

## CABLE CUTTER



Goods No.	Specification	QTY/CTN	L (mm)	H (mm)	W1 (mm)	W2 (mm)
BS203488	8"/200mm	6/72PCS	210	13	30	54

6": Can cut 9mm<sup>2</sup> or diameter below 13mm multi-strand copper and aluminum core cables

8": Can cut 15mm<sup>2</sup> or diameter below 15mm multi-strand copper and aluminum core cables

10": Can cut 22mm<sup>2</sup> or diameter below 17mm multi-strand copper and aluminum core cables

## TINMAN'S SNIPS SERIES



Goods No.	Specification	QTY/CTN	L (mm)	H (mm)	W1 (mm)	W2 (mm)
BS273108	8"/200mm	6/60PCS	205	13	26	43

Cut stainless steel below 0.6mm or iron plate below 1.2mm.


## AVIATION SNIPS SERIES



Goods No.	Specification	QTY/CTN	L (mm)	W (mm)	H (mm)
BS273102	10"/250mm	6/48PCS	250	25	8

Cut stainless steel below 0.6mm or iron plate below 1.2mm.

## TINMAN'S SNIPS SERIES



Goods No.	Specification	QTY/CTN	L (mm)	H (mm)	W1 (mm)	W2 (mm)
BS273208	8"/200mm	6/60PCS	210	15	31	91
BS273210	10"/250mm	6/48PCS	260	15	36	110
BS273212	12"/300mm	6/48PCS	310	15	38	110
BS273214	14"/350mm	6/36PCS	355	15	42	117

Cut stainless steel below 0.6mm or iron plate below 1.2mm.





**INDUSTRIAL SCISSORS**



Goods No.	Specification	QTY/CTN	L (mm)	W (mm)	H (mm)
BS301190	190mm	6/96PCS	190	82	6

Stainless steel material (3.5mm thickness).  
High-strength zinc alloy handle.


**PVC PIPE CUTTER**



Goods No.	Specification	QTY/CTN	L (mm)	W (mm)	H (mm)
BS293632	8"/200mm	6/72PCS	205	34	20

Max cut diameter 32mm

**UTILITY CUTTER**



Goods No.	QTY/CTN	L (mm)	W (mm)
BS310951	24/240PCS	136	28

Suit for 9mm blade.

**UTILITY CUTTER**



Goods No.	QTY/CTN	L (mm)	W (mm)
BS310058	12/144PCS	160	30

Aluminium alloy steel, SK5 blade.

**MULTI-FUNCTION SCISSORS**



Goods No.	Specification	QTY/CTN	L (mm)	W (mm)	H (mm)
BS533181	8"/200mm	6/72PCS	205	53	7

Stainless steel, TPR+PP plastic handle  
Cut packing tape, PVC tape, trunking, iron sheet or below 0.5mm, tree branches, etc.

**PVC PIPE CUTTER**



Goods No.	Specification	QTY/CTN	L (mm)	W (mm)	H (mm)
BS291592	26/42mm	6/72PCS	210	84	22
BS291593	42/63mm	6/36PCS	245	100	22

BS291592: Max cut diameter 26/42mm  
BS291593: Max cut diameter 42/63mm

**UTILITY CUTTER**



Goods No.	QTY/CTN	L (mm)	W (mm)
BS310055	12/120PCS	205	50

HIPS+TPR cover, 25mm SK5 blade

**ZINC ALLOY HEAVY-DUTY UTILITY KNIFE**



Goods No.	QTY/CTN	L (mm)	W (mm)
BS310606	6/48PCS	175	60

Zinc alloy steel, 5pcs SK5 blade inside.

**UTILITY CUTTER**



Goods No.	QTY/CTN	L (mm)	W (mm)
BS310005	12/120PCS	158	42

ABS cover, 5pcs 18mm SK5 blade inside

**UTILITY CUTTER BLADE**



Goods No.	Specification	QTY/CTN
BS310022	80x9x0.4mm 12section	20/400boxes

**UTILITY CUTTER BLADE**



Goods No.	Specification	QTY/CTN
BS310021	100x18x0.5mm 14section	20/240boxes

**UTILITY CUTTER BLADE**



Goods No.	Specification	QTY/CTN
BS310023	125x25x0.7mm 6section	10/120boxes

### WIRE STRIPPER



Goods No.	Specification	QTY/CTN	L (mm)	W1 (mm)	W2 (mm)	H (mm)
BS446208	0.6-2.6mm	6/72PCS	170	41	58	6

Stripping range: 0.6/0.8/1.0/1.3/1.6/2.0/2.6mm


### ELECTRICIAN SCISSORS



Goods No.	Specification	QTY/CTN	L (mm)	W1 (mm)	W2 (mm)	H (mm)
BS203145	5.5"/145mm	12/120PCS	145	16	76	6

Stainless steel material, groove design, serrated head, can cut light fiber aramid, copper aluminum wire, etc.

### AUTOMATIC WIRE STRIPPERS



Goods No.	Specification	QTY/CTN	L1 (mm)	L2 (mm)	W1 (mm)	W2 (mm)	H (mm)
BS442104	0.2-6mm <sup>2</sup>	6/48PCS	208	152	47	43	28

Stripping range: 0.2-6mm<sup>2</sup>

### HACKSAW FRAME



To automatically adjust to pry



Goods No.	Specification	QTY/CTN	L (mm)	W (mm)	H (mm)
BS283068	12"/300mm	6/24PCS	395	160	28


Aluminum alloy steel+Steel pipe body,TPR handle and TPR head.

### MODULAR PLUG CRIMPER



Goods No.	Specification	QTY/CTN	L (mm)	W1 (mm)	W2 (mm)
BS433120	6P/8P/7 types lines	5/50PCS	138	65	30

High quality steel,SK5 blade,PVC handle,3pcs LR44 Button cell.





### DIGITAL MULTIMETER

# TOOLMEX



Goods No.	BS471116	
Max reading	5999	
Measurement function	Test range	Precision
DC voltage	600mV	± (1.0%+5)
	6V	± (0.8%+3)
	60V	± (0.8%+3)
AC voltage	600V	± (0.8%+3)
	6V	± (1.2%+5)
	60V	± (0.8%+3)
DC current	60A	± (3.0%+10)
	600A	± (3.0%+6)
AC current	60A	± (2.5%+6)
	600A	± (2.5%+6)
Resistance	600 Ω	± (1.0%+5)
	6k Ω	
	60k Ω	
	600k Ω	
Capacitance	6M Ω	± (1.5%+5)
	60M Ω	± (3.0%+10)
	6nF	± (5.0%+35)
	60nF	± (3.0%+20)
	6 μF	
	60 μF	
600 μF		
6mF	± (5.0%+20)	
60mF	reference only	
Frequency	9.999HZ-9.999MHZ	± (0.5%+5)
Duty Ratio	5%-95%	± (2.0%+7)
Buzzer detection	✓	-
Diode test	✓	-
Automatic shutdown	✓	-
Automatic range	✓	-
No contact electricity measurement	✓	-
Temperature measurement	-20~1000 °C/-4~1832 F	-
Battery	AAA 1.5V 3PCS	-
Clamp open size	34mm	-
Size	215x75x43mm	-
Net weight	230g	-
QTY/CTN	36PCS	-

### ELECTRONICS PLIER



Goods No. Specification QTY/CTN L (mm) W1 (mm) W2 (mm) H (mm)  
 BS203065 5"/125mm 12/240PCS 130 14 103 2.5  
 Max cut : Φ1.2mm (do not use to cut steel wire or iron wire)

### WIRE STRIPPER



Goods No. Specification QTY/CTN L (mm) W1 (mm) W2 (mm) H (mm)  
 BS448131 0.5-2.0mm 6/60PCS 182 21 125 30  
 BS448132 1.0-3.2mm 6/60PCS 182 21 125 30  
 BS448133 1.25-8.0mm 6/60PCS 182 21 125 30  
 Stripper Range:  
 BS448131 : 0.5, 1.0, 1.6, 2.0mm  
 BS448132 : 1.0, 1.6, 2.0, 2.6, 3.2mm  
 BS448133 : 1.25, 2.0, 3.5, 5.5, 8.0mm

### WIRE STRIPPER



Goods No. Specification QTY/CTN L (mm) W (mm) H (mm)  
 BS446229 8"/210mm 12/72PCS 210 58 17  
 Stripper range: 1.0/1.5/2.0/2.6mm

### 32PCS SCREWDRIVER SET



Goods No. Specification QTY/CTN L (mm) W (mm) H (mm)  
 BS468032 32PCS 6/96PCS 168 106 23  
 Deploy:  
 T4 T5 T6 T7 T8 T9 T10 T11 T20 Y2.0  
 1.5 2.0 2.5 3.5 4.0 2.0  
 PH000 PH00 PH0 PH1 1.2  
 H0.9 H1.3 H1.5 H2.0 H2.5 H3.0 H4.0 0.8  
 2.6 1PC-Ratchet handle 1PC-Extension bar

### SCREWDRIVER (CR-V)



Goods No. Specification QTY/CTN L (mm) L1 (mm) D (mm) W (mm)  
 BS459143 Φ3x100mm 12/288PCS 180 100 3 24  
 BS459186 Φ6x200mm 12/144PCS 315 200 6 35  
 BS459165 Φ5x150mm 12/144PCS 250 150 5 30  
 Cr-V steel, heat treatment, blackened strong magnetic head, TPR+PP handle.  
 A = Slot  
 B = Phillips

### MULTIFUNCTIONAL CABLE CUTTER



Goods No. Specification QTY/CTN L (mm) W1 (mm) W2 (mm) H (mm)  
 BS446225 8"/205mm 6/72PCS 208 28 62 8  
 Cutting : PC board T2.0mm, copper wire Φ1.5mm, iron wire Φ1.0mm,  
 Stripping range: 5.50 3.50 2.00 1.25 0.80 0.50 0.32mm<sup>2</sup>  
 AWG10 12 14 16 18 20 22  
 Crimping range: 0.5-1.0 1.0-1.5 1.5-2.0mm<sup>2</sup>

### MODULAR PLUG CRIMPING TOOL



Goods No. Specification QTY/CTN L (mm) W (mm) H (mm)  
 BS433683 4P/6P/8P 6/48PCS 205 50 16.5





**TOOLMEX**

**19 IN 1 RATCHET SCREWDRIVER**



Including  
 PH1 PH2 PH3 5.0 6.0 8.0 T10 T15 T20 T25  
 2.0 3.0 Y5.0 Y6.0 U2.3 5.0  
 Double end extension rod: 1/4 "5/16"  
 Ratchet connection handle

Goods No.	QTY/CTN	L (mm)	W (mm)	H (mm)
BS463019	6/48PCS	212	35	35

Cr-V steel, plastic handle.

**HEAVY DUTY RIVETER**




Goods No.	Specification	QTY/CTN	L (mm)	W (mm)	Guide nozzle size
BS304112	9"/220mm	5/30PCS	220	100	2.4mm 3.2mm 4.0mm 4.8mm

Please check below table for application details

	2.4mm (3/32)	3.2mm (1/8)	4.0mm (5/32)	4.8mm (3/16)
Aluminum	●	●	●	●
Steel	●	●	●	●
Stainless steel	●	●	●	●

**SCREWDRIVER GOLDEN HANDLE SERIES**



Goods No.	Specification	QTY/CTN	L (mm)	L1 (mm)	D (mm)	W (mm)
BS460143	Φ3x100mm	12/288PCS	185	100	3	25
BS460165	Φ5x150mm	12/144PCS	260	150	5	34
BS460186	Φ6x200mm	12/144PCS	315	200	6	34

Cr-Mo steel, mirror chromed, strong magnetic head, plastic handle.

A = Slot

B = Phillips

**HEAVY DUTY RIVETER**



Goods No.	Specification	QTY/CTN	L (mm)	W (mm)	Guide nozzle size
BS304113	10"/260mm	5/20PCS	260	137	2.4mm 3.2mm 4.0mm 4.8mm 6.4mm

Please check below table for application details

	2.4mm (3/32)	3.2mm (1/8)	4.0mm (5/32)	4.8mm (3/16)	6.4mm (1/4)
Aluminum	●	●	●	●	●
Steel	●	●	●	●	●
Stainless steel	●	●	●	●	●

**DIGITAL VOLTAGE TESTER**



Goods No.	QTY/CTN	L (mm)	L1 (mm)	W (mm)	H (mm)
BS453104	6/120PCS	141	14	20	17

2pcs LR44 batteries, measure 70-250V DC/AC.


**DIGITAL VOLTAGE TESTER**



Goods No.	QTY/CTN	L (mm)	L1 (mm)	W (mm)	H (mm)
BS450229	30/480PCS	129	17	18	14

Measure 12-250V DC/AC.

**VOLTAGE TESTER PEN**



Goods No.	QTY/CTN	L (mm)	L1 (mm)	W (mm)
BS453098	24/480PCS	137	9	14


Measure 100-500V AC.

**SCREWDRIVER**




Goods No.	Specification	QTY/CTN	L (mm)	L1 (mm)	D (mm)	W (mm)
BS468315	T15	12/144PCS	172	75	5	30
BS468320	T20	12/144PCS	172	75	5	30
BS468325	T25	12/144PCS	215	100	6	35
BS468327	T27	12/144PCS	215	100	6	35
BS468330	T30	12/144PCS	215	100	6	35
BS468340	T40	12/144PCS	-	-	-	-
BS468345	T45	12/144PCS	-	-	-	-
BS468350	T50	12/144PCS	-	-	-	-

**VOLTAGE TESTER**



Goods No.	QTY/CTN	L (mm)	L1 (mm)	W (mm)
BS453091	24/480PCS	141	19	13

**DIGITAL VOLTAGE TESTER**



Goods No.	QTY/CTN	L (mm)	L1 (mm)	W (mm)	H (mm)
BS453097	30/480PCS	124	15	23	14



(477)

928 0740  
 928 0741  
 761 2074





**TOOLMEX**

**BALL PEIN HAMMER**



Goods No.	Specification	QTY/CTN	L (mm)	W (mm)
BS350515	1.5P	6/36PCS	330	110

Carbon steel head,TPR handle.

**TWO-WAY MALLET**



Goods No.	Specification	QTY/CTN	L (mm)	W (mm)
BS352335	35mm	10/60PCS	302	85

PVC head,TPR handle.

**CLAW HAMMER**



Goods No.	Specification	QTY/CTN	L (mm)	W (mm)
BS350950	0.5kg	6/36PCS	330	125

Carbon steel head,wooden handle.

**SLEDGE HAMMER**



Goods No.	Specification	QTY/CTN	L (mm)	W (mm)
BS353903	3LB	4/16PCS	360	121
BS353904	4LB	4/12PCS	413	131

Carbon steel head,TPR handle.

**RUBBER MALLET**



Goods No.	Specification	QTY/CTN	L (mm)	W (mm)	D (mm)
BS352608	8oz	6/60PCS	322	77	46
BS352616	16oz	6/36PCS	335	95	58
BS352624	24oz	6/24PCS	334	114	62

Rubber head,TPR handle.

**BALL PEIN HAMMER**



Goods No.	Specification	QTY/CTN	L (mm)	W (mm)
BS350915	1.5P	6/36PCS	350	110

Carbon steel head,wooden handle.

**ADJUSTABLE WRENCH**



Goods No.	Specification	QTY/CTN	L (mm)	W1 (mm)	W2 (mm)	H (mm)	Max. Opening
BS361210	10"/250mm	5/50PCS	255	70	36	15	≥33

Adopt high quality carbon steel precision forging, wrench precision machining, large opening, stronger torque, spring worm, keep the wrench stable.

**DEAD BLOW RUBBER MALLET**



Goods No.	Specification	QTY/CTN	L (mm)	W (mm)	D (mm)
BS356801	1LB	6/24PCS	290	91	41.5
BS356802	2LB	6/24PCS	328	110	51.5
BS356803	3LB	6/12PCS	348	117	57.5
BS356804	4LB	6/12PCS	365	131	64

The whole is molded with SBR rubber at one time. The head contains steel balls.

**ADJUSTABLE WRENCH**



Goods No.	Specification	QTY/CTN	L (mm)	W1 (mm)	W2 (mm)	H (mm)	Max. Opening
BS361308	8"/200mm	5/100PCS	210	58	33	12	≥28

Adopt high quality carbon steel precision forging, black coating, Wrench precision machining, large opening, stronger torque, spring worm, keep the wrench stable.

**7PCS GEARTECH WRENCH**



Goods No.	Specification	QTY/CTN	L (mm)	W (mm)	H (mm)
BS431607	7PCS	20PCS	115	315	28

High quality alloy steel forging, overall heat treatment, mirror polishing. Ratchet design, the head can be turned 180 degrees; Suitable for use in narrow spaces and quick disassembly of long screws.

Collocation list  
10,12,13,14,15,17,19mm

**HATCHET**



Goods No.	Specification	QTY/CTN	L (mm)	W (mm)
BS359600	600g	4/24PCS	385	145

Carbon steel head,wooden handle.

**8PCS COMBINATION WRENCH**



Goods No.	Specification	QTY/CTN	L (mm)	W (mm)	H (mm)
BS392218	8PCS	2/24PCS	248	109	31

Mirror polished for quick removal and fastening of hex bolts and nuts.

Collocation list  
8,10,12,13,14,15,17,19mm



TOOLMEX

REMOVABLE PRESET TYPE TORQUE WRENCH



Goods No.	Torque range	QTY/CTN	Drive head	Division value	L (mm)	W (mm)	H (mm)
BS362007	10-110N.m	1/6PCS	9x12	0.5N.m	383	26	19

Interchangeable square plug open end, box end, ratchet head  
Precision class 3, error ±3%

BALL POINT HEX KEY SET



Goods No.	Specification	QTY/CTN	L (mm)	W (mm)
BS426095	Inch	6/48PCS	177	76

Made of S2 alloy steel, overall heat treatment, higher torque

Collocation list

Metric: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10

Inch: 1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 5/16, 3/8

DIGITAL TORQUE WRENCH



Goods No.	Torque range	QTY/CTN	Drive head	Division value	L (mm)	W (mm)	H (mm)
BS362005	17-340N.m	6PCS	1/2"	0.1N.m	620	42	44

With 2pcs AAA batteries

FLAT POINT HEX KEY SET



Goods No.	QTY/CTN	L (mm)	W (mm)
BS426081S	6/48PCS	177	80

Made of S2 alloy steel, overall heat treatment, higher torque

Collocation list

1.5, 2, 2.5, 3, 4, 5, 6, 8, 10

HEX WRENCH



Goods No.	QTY/CTN	L (mm)	W (mm)
BS426097	6/48PCS	156	77

Made of S2 alloy steel, overall heat treatment, higher torque

Collocation list

T10 T15 T20 T25 T27 T30 T40 T45 T50

WORKING GLOVES



Goods No.	Specification	QTY/CTN
BS479123	600g	12/600PCS

Made of PVC plastic and wool spinning, with anti-slip

NITRILE GLOVES



Goods No.	Specification	QTY/CTN
BS479090	L	12/840PCS



(477)

928 0740  
928 0741  
761 2074



TOOLMEX

DUST RESPIRATOR



Goods No.	QTY/CTN
BS479069	20/400PCS

KN95 protection level, adopt multi-layer protective material

DUST RESPIRATOR



Goods No.	QTY/CTN
BS479071	20/400PCS

KN95 protection level, adopt multi-layer protective material

DUAL CARTRIDGE RESPIRATOR



The filter box can match separately

Goods No.	QTY/CTN	
BS479212	40PCS	Double filter box gas mask
BS800146	50/200PCS	Filter box

Silicone mask body, comfortable to wear

H.S.S HOLE SAW



Goods No.	Specification	QTY/CTN	L (mm)	L1 (mm)
BS539516	16mm	12/240PCS	72	27
BS539518	18mm	12/240PCS	72	27
BS539520	20mm	12/240PCS	72	27

Made of high speed steel

WOODWORKING T. C. T HOLE SAW



Multi-function hexagon handle improving



Goods No.	Specification	QTY/CTN	L (mm)	W (mm)
BS551016	16mm	20/400PCS	75	6.3x7
BS551020	20mm	20/400PCS	75	6.3x7

The tool head is made of alloy steel  
Hexagon tail shank

BI-METAL HOLE SAW



Goods No.	Specification	QTY/CTN	L (mm)	L1 (mm)
BS537016	16mm	20/600PCS	85	25
BS537018	18mm	20/600PCS	85	25
BS537020	20mm	20/400PCS	85	25
BS537022	22mm	20/400PCS	85	25

Made of high speed steel, hole depth is 0-25mm

16PCS HOLE SAW SET



Made of high quality carbon steel

Configuration

12PCS-Hole saw: 3/4"(19mm), 7/8"(22mm), 1-1/8"(29mm), 1-1/4"(32mm), 1-1/2"(38mm), 1-3/4"(44mm), 2"(51mm), 2-1/2"(64mm), 3"(76mm), 3-1/2"(89mm), 4"(102mm), 5"(127mm)  
2PCS- Extension bar  
1PC- Hex key: 2.5mm  
1PC- Gasket

Goods No.	Specification	QTY/CTN	L (mm)	W (mm)	H (mm)
BS539116	16PCS	20PCS	212	153	44

AUGER BITS SERIES



Goods No.	Specification	QTY/CTN	L (mm)	W (mm)
BS543016	Φ16mm	10/240PCS	170	6.3
BS543020	Φ20mm	10/240PCS	170	6.3
BS543014	Φ14mm	10/240PCS	170	6.3

High quality carbon steel material, overall heat

DIAMOND HOLE SAW



Goods No.	Specification	QTY/CTN	L (mm)	L1 (mm)
BS337010	10mm	50/900PCS	65	35
BS337018	18mm	50/600PCS	65	35

Adopt high strength diamond material

T.C.T HOLE SAW



Goods No.	Specification	QTY/CTN	L (mm)	W (mm)	L1 (mm)	Tooth number
BS539316	16mm	12/240PCS	85	9.3	20	4
BS539318	18mm	12/240PCS	85	9.3	20	4
BS539320	20mm	12/240PCS	85	9.3	20	5
BS539322	22mm	12/240PCS	85	9.3	20	5

### GLASS HOLE SAW



Goods No.	Specification	QTY/CTN	Shank diameter	L (mm)
BS538112	12mm	70/840PCS	∅6	54
BS538116	16mm	50/600PCS	∅6	54
BS538110	10mm	80/960PCS	∅6	54

Adopt high quality carbon steel sintered emery

### ELECTRIC HAMMER DRILLING BIT



Goods No.	Specification	QTY/CTN
BS521106	6x110mm	10/400PCS

The drill shank is made of alloy steel, tungsten steel cutter head

### ELECTRIC HAMMER DRILLING BIT



Goods No.	Specification	QTY/CTN
BS631212	12x210mm	10/200PCS
BS631216	16x210mm	10/120PCS

The drill shank is made of alloy steel, inlaid with tungsten steel cutter head.

### ELECTRIC HAMMER DRILLING BIT



Goods No.	Specification	QTY/CTN
BS531308	8x200mm	10/200PCS
BS531310	10x200mm	10/200PCS
BS531312	12x200mm	10/200PCS
BS531316	16x200mm	10/120PCS

The drill shank is made of alloy steel, tungsten steel cutter head

### STRAIGHT SHANK TWIST DRILL BITS SET



Goods No.	Specification	QTY/CTN	L (mm)	W (mm)	H (mm)
BS532213	13PCS	72PCS	135	85	20
BS532219	19PCS	36PCS	150	110	35
BS532225	25PCS	18PCS	185	110	50

Adopt high speed steel material, through special process, overall heat treatment  
Configuration list  
13PCS: 1.5mm, 2mm, 2.5mm, 3mm, 3.2mm, 3.5mm, 4mm, 4.5mm, 4.8mm, 5mm, 5.5mm, 6mm, 6.5mm  
19PCS: 1mm, 1.5mm, 2mm, 2.5mm, 3mm, 3.5mm, 4mm, 4.5mm, 5mm, 5.5mm, 6mm, 6.5mm, 7mm, 7.5mm, 8mm, 8.5mm, 9mm, 9.5mm, 10mm  
25PCS: 1mm, 1.5mm, 2mm, 2.5mm, 3mm, 3.5mm, 4mm, 4.5mm, 5mm, 5.5mm, 6mm, 6.5mm, 7mm, 7.5mm, 8mm, 8.5mm, 9mm, 9.5mm, 10mm, 10.5mm, 11mm, 11.5mm, 12mm, 12.5mm, 13mm


### HSS COBALT DRILL



Goods No.	Specification	QTY/CTN	L (mm)	L1 (mm)
BS533003	3.0mm	10/3000PCS	61	33
BS533004	4.0mm	10/2000PCS	75	43

High speed alloy steel with 5% cobalt

### THREAD TAP



Goods No.	Specification	QTY/CTN	L (mm)	L1 (mm)	L2 (mm)
BS533405	M5*0.8	100/1200PCS	69	9	15
BS533404	M4*0.7	100/1600PCS	65	8	14

Drilling and tapping integrated tap

### 5PCS SCREW EXTRACTOR SET



Goods No.	Specification	QTY/CTN	L (mm)	W (mm)	H (mm)
BS522025	5PCS	10/100PCS	192	94	15

Made of high quality Cr-Mo steel  
4PCS- Screw extractor: M3-M6, M6-M8, M8-M11, M11-M14  
1PC- Tap wrench

### U-SHAPED HEXAGONAL CHISEL



Goods No.	Specification	QTY/CTN	Tooth thickness (mm)	Tooth height (mm)	Tooth number	L (mm)
BS540032	∅32	50PCS	3.7	11	3	370

The cutter head is made of high quality diamond, precision vacuum hot pressing treatment

### RECIPROCATING SAW BLADE



Goods No.	Specification	Model	QTY/CTN
BS535150	150x19x0.9mm (1.8mm/14T)	BS-922BF	6/90sets

Made of high quality bimetal  
Metal cutting: thick metal plate (3-8mm), pipe/profile (∅10-100mm).

### SAW BLADE



Goods No.	Specification	Model	QTY/CTN
BS535111	100x8x1.2 (3.0mm/8T)	BST-111C	50/500cards

Adopt high quality steel  
Used for cork 5-50mm, wood chip board, wood core plywood, fiberboard

### CUTTING WHEEL



Goods No.	Specification	QTY/CTN
-----------	---------------	---------

### GRINDING WHEEL



Goods No.	Specification	QTY/CTN
BS302100	100x4x16mm	25/200PCS
BS303100	100x6x16mm	25/200PCS
BS302125	125x6x22mm	25/100PCS
BS302150	150x6x22mm	25/100PCS
BS302180	180x6x22mm	25/50PCS

Made of brown corundum first grade abrasive and reinforced glass fiber net

### T.C.T SAW BLADE



Goods No.	Diameter	QTY/CTN	Thickness	Cutting width	Bore diameter	Tooth number	Variable diameter coils	Material
BS314040	4"/105mm	200PCS	1.1	1.8	20	40T	16	Wood/aluminum cut
BS304030	4"/110mm	200PCS	1.05	1.6	20	30T	16	
BS304040	4"/110mm	200PCS	1.05	1.6	20	40T	16	
BS307040	7"/180mm	80PCS	1.5	2.1	25.4	40T	16/20	
BS307060	7"/180mm	80PCS	1.5	2.1	25.4	60T	16/20	
BS307061	7"/180mm	80PCS	1.5	2.4	20	60T	16	
BS308040	8"/200mm	50PCS	1.5	2.1	25.4	40T	16/20	
BS308060	8"/200mm	50PCS	1.5	2.1	25.4	60T	16/20	
BS309040	9"/230mm	40PCS	1.7	2.5	25.4	40T	16/20	
BS309060	9"/230mm	40PCS	1.7	2.5	25.4	60T	16/20	
BS309080	9"/230mm	40PCS	1.7	2.5	25.4	80T	16/20	
BS301040	10"/250mm	30PCS	1.7	2.6	25.4	40T	16/20	

Goods No.	Diameter	QTY/CTN	Thickness	Cutting width	Bore diameter	Tooth number	Variable diameter coils	Material
BS301060	10"/250mm	30PCS	1.7	2.6	25.4	60T	16/20	
BS301080	10"/250mm	30PCS	1.7	2.6	25.4	80T	16/20	
BS301010	10"/250mm	30PCS	2.0	2.8	25.4	100T	16/20	Aluminum cut
BS301012	10"/250mm	30PCS	2.0	2.8	25.4	120T	16/20	Aluminum cut
BS301260	12"/300mm	20PCS	2.2	3.2	30	60T	25.4/20	
BS301280	12"/300mm	20PCS	2.2	3.2	30	80T	25.4/20	
BS301210	12"/300mm	20PCS	2.2	3.2	30	100T	25.4/20	Aluminum cut
BS301212	12"/300mm	20PCS	2.2	3.2	30	120T	25.4/20	Aluminum cut
BS301460	14"/350mm	12PCS	2.2	3.2	30	60T	25.4/20	
BS301480	14"/350mm	12PCS	2.2	3.2	30	80T	25.4/20	
BS301410	14"/350mm	12PCS	2.2	3.2	30	100T	25.4/20	Aluminum cut
BS301412	14"/350mm	12PCS	2.2	3.2	30	120T	25.4/20	Aluminum cut

The sawtooth is made of alloy steel by precision welding

### GRINDING WHEEL



Goods No.	Specification	QTY/CTN
BS302185	185x2.0x12x25.4mm	50PCS

Professional slotting products  
Variable diameter coils: 22.23mm

### 12PCS PUNCH SET



Goods No.	Specification	QTY/CTN	L (mm)	W (mm)	H (mm)
BS523812	12PCS	5/20PCS	220	160	21

Made of Cr-V steel  
Configuration  
Center punch: 6x10x100, 8x11x115mm  
Cone punch: 2x10x140mm  
Pin punch: 1.5x6x150, 3x8x150, 4x8x150, 5x8x150, 6x10x150, 8x10x150mm  
Flat chisel: 10x8x140, 12x10x150, 16x12x170mm

### SCRAPER CUTTER



Goods No.	Specification	QTY/CTN	Blade width (mm)
BS529242	300mm	10/60PCS	100

Adopt high quality aluminum alloy

### 6PCS NEEDLE FILE SET



Goods No.	Specification	QTY/CTN	L (mm)	W (mm)	H (mm)
BS506314	Φ3x140mm	12/72PCS	217	131	13
BS506416	Φ4x160mm	12/72PCS	217	131	14
BS506518	Φ5x180mm	12/72PCS	217	131	15

### 5PCS FILE SET



Goods No.	Specification	QTY/CTN	L (mm)	W (mm)	H (mm)
BS506151	6"/150mm	40PCS	260	26	315
BS508152	8"/200mm	30PCS	265	26	375

### ANOINTED THE MUD KNIFE



Goods No.	Specification	QTY/CTN	Thickness (mm)
BS529206	250x100mm	12/60PCS	0.7
BS529208	280x115mm	12/60PCS	0.7

**ALUMINIUM LEVEL**



Goods No.	Specification	QTY/CTN
BS113806	600mm	6/36PCS
BS113810	1000mm	6/36PCS

Thickened aluminum alloy structure, strong magnetic bottom

**DISTANCE MEASURING WHEELS**



Goods No.	Specification	QTY/CTN
BS170915	99999.9m	10PCS

Technical Date  
 Max measure range:99999.9m/9999999m²/15000mu  
 Units of measurement:m,m², mu,ft,ft², acre  
 Wheel diameter:159mm (6")  
 Working accuracy: Flat ground±0.5%  
 Working environment: Indoor, outdoor flat ground  
 Display accuracy: ±0.05m  
 Battery: 2pcs AAA batteries

**DISTANCE MEASURING WHEELS**



Goods No.	Specification	QTY/CTN
BS170916	99999.9m	5PCS

Technical Date  
 Max measure range:99999.9m/9999999m²/15000mu  
 Units of measurement:m,m², mu,ft,ft², acre  
 Wheel diameter:318mm (12.5")  
 Working accuracy: Flat ground±0.5%  
 Working environment: Indoor, outdoor flat ground  
 Display accuracy: ±0.05m  
 Battery: 2pcs AAA batteries

**ALUMINIUM LEVEL**



Goods No.	Specification	QTY/CTN
BS119108	800mm	50PCS

Reinforced aluminum alloy structure

**MEASURING TAPE**



Goods No.	Specification	QTY/CTN	L (mm)	W (mm)	H (mm)
BS121518	5mx19mm	12/120PCS	62	60	36
BS127518	7.5mx25mm	6/60PCS	73	70	44

II Accuracy  
 A means metric scale  
 B means metric & imperial scale

**MEASURING TAPE**



Goods No.	Specification	QTY/CTN	L (mm)	W (mm)	H (mm)
BS121326	3mx16mm	12/144PCS	62	55	31
BS121526	5mx19mm	10/90PCS	67	60	36
BS122526	5mx25mm	10/90PCS	67	60	42.6
BS127526	7.5mx25mm	6/60PCS	76	68	43.8
BS123526	5mx19mm	10/90PCS	67	30	36

**MEASURING TAPE**



Goods No.	Specification	QTY/CTN	L (mm)	W (mm)	H (mm)
BS120358	3mx16mm	12/180PCS	75	65	32
BS120558	5mx19mm	12/120PCS	84	70	37
BS122558	5mx25mm	12/120PCS	90	70	43
BS127558	7.5mx25mm	6/60PCS	99	85	44

II Accuracy



TOOLMEX

### VERNIER CALIPERS



Goods No.	Specification	QTY/CTN	L (mm)	A (mm)	B (mm)
BS160150	0-150mm	10/50PCS	230	77	16

Adopt high quality carbon steel material

### LONG TAPE MEASURE



Goods No.	Specification	QTY/CTN	tape width	L (mm)	W (mm)	H (mm)
BS131508S	15m	1/48PCS	12.5mm	89	82	31
BS132008S	20m	1/48PCS	12.5mm	120	110	31
BS133008S	30m	1/36PCS	12.5mm	122	110	31
BS135008S	50m	1/24PCS	12.5mm	151	137	31

II Accuracy

### FIBERGLASS TAPE



Goods No.	Specification	QTY/CTN	L (mm)	W (mm)	H (mm)	tape width
BS143001	30m	20PCS	293	191	37	12.5mm

Tape error accuracy

### FIBERGLASS TAPE



Goods No.	Specification	QTY/CTN	tape width	L (mm)	H (mm)
BS142009S	20m	48PCS	14.5mm	140	32

New ABS plastic shell, glass fiber tape, tension strength≥70kg

### POSTURE STEEL TAPE



Goods No.	Specification	QTY/CTN	tape width	L (mm)	W (mm)	H (mm)
BS138030	30m	20PCS	12.5mm	272	155	39

II Accuracy

### ELECTRONIC DIGITAL CALIPERS



Goods No.	Specification	QTY/CTN	Resolution	Accuracy	L (mm)	A (mm)	B (mm)
BS158150	0-150mm	40PCS	0.01mm	±0.03mm	235	40	16

Stainless steel ruler body

### POSTURE STEEL TAPE



Goods No.	Specification	QTY/CTN	tape width	L (mm)	W (mm)	H (mm)
BS137030	30m	20PCS	12.5mm	273	153	40

II Accuracy



(477)

928 0740  
928 0741  
761 2074




**TOOLMEX**

### SLOPE SCALE



#### Application method


- Determination of slope (angle) on incline surface:
1. Contact the measuring instrument with the measuring object.
  2. Rotate the scale wheel until the bubble of the level tube is centered.
  3. Read the number on the dial where the needle tip is aligned.



It can measure up and down.

When side slope measurement is required in construction projects: Please use measuring instrument B to measure plane (if Angle is required, use measuring plane A)

- When slope (angle) needs to be set:
1. Turn the wheel so that the pointer is aligned with the scale that sets the slope (angle).
  2. Contact the measuring surface of the measuring instrument with the set object and move the set object until the water pipe bubble is centered.



Goods No.	Specification	Accuracy	L (mm)	W (mm)	H (mm)
BS162001	10/60PCS	±1°	250	125	21

Note: Since the inclinometer is a precision instrument, its rotating part should be avoided from sand, soil and other debris to avoid damage.  
 Measuring range: 130°-0°-130°(50°-90°-0°-90°-50°)1-8 points(0.5 scale division)  
 10%、12%、15%、18%、20%

### STEEL SQUARE



Goods No.	Specification	QTY/CTN	L (mm)	W (mm)
BS181715	15cm	6/60PCS	150	105

The ruler rod is made of stainless steel and the aluminum alloy ruler seat

### PRUNER SHEARS



Goods No.	Specification	QTY/CTN	Max cut
BS536058	8"/200mm	6/60PCS	16mm

Sk5 steel blade, Teflon treatment on the surface.  
 Opening range ≤ 35mm.

### BY-PASS PRUNERS



Goods No.	Specification	QTY/CTN	Max cut
BS539088	8"/200mm	6/60PCS	14mm

Stainless steel blade.

### STEEL RULER



Goods No.	Specification	QTY/CTN	Thickness	Width
BS177100	100cm	20/60PCS	1.5mm	35mm

Made of stainless steel through one-time punching and cutting

### RATCHET SHEARS



Goods No.	Specification	QTY/CTN	Max cut
BS563151	8.5"/210mm	6/60PCS	16mm

Sk5 steel blade, aluminum alloy dipped plastic handle, labor-saving design.

### BY-PASS PRUNERS



Goods No.	Specification	QTY/CTN	Max cut
BS539158	8"/200mm	6/72PCS	10mm

Stainless steel blade.



(477)

928 0740  
 928 0741  
 761 2074





TOOLMEX

### FOLDING SHOVEL



Goods No.	Specification	QTY/CTN
BS561312	16"/410mm	30PCS

Manganese steel shovel head, plastic sprayed surface, plastic handle with rubber cover.

### GARDEN TOOLS



Goods No.	Specification	QTY/CTN
BS561316	300mm	12/72PCS

Steel shovel,PVC handle.

### FOLDING SHOVEL



Goods No.	Specification	QTY/CTN
BS561313	23"/580mm	15PCS

Manganese steel shovel head, plastic sprayed surface.

### GARDEN TOOLS



Goods No.	Specification	QTY/CTN
BS561317	290mm	12/48PCS

Steel,PVC handle.

### PRUNING SAW



Goods No.	Specification	QTY/CTN	Saw thickness
BS553262	11"/275mm	6/24PCS	1.0mm

Sk5 steel blade, three-sided grinding teeth,PP+TPR

### HEDGE SHEARS



Goods No.	Specification	QTY/CTN
BS541327	27"/680mm	6/12PCS

Manganese steel blade,aluminium alloy steel handle.

### HEDGE SHEARS



Goods No.	Specification	QTY/CTN
BS541332	805-1135mm	6/12PCS

Manganese steel blade,aluminium alloy steel handle.